


Corporate Profile

Corporate philosophy

We are committed to serving for development of the industry and the society by meeting customers' needs, realizing employees' happiness, and responding to shareholders' expectations through solid and fair corporate activities.



When we changed our company name from "Yamada Oil Machinery Manufacturing Co., Ltd." to "Yamada Corporation" in 1990, we also changed our logo to the current one, which we use to this day.



Head Office



Sagamihara Factory

From the fiscal year ending March 2021, when our performance declined due to the impact of the COVID-19 pandemic, the entire company has worked together to recover our performance. In the final year of our medium-term management plan, "Jump!! 2024," ending March 2024, we were able to achieve record highs in sales and profits for the second consecutive year. I would like to express my deep gratitude for the understanding and cooperation of our customers, business partners, and shareholders.

This fiscal year (April 2024 - March 2025) marks the 100th business year for our group. As we embark on our 100th year, we have set forth a new group vision, "For the Next Century with YAMADA PRIDE." We have divided our medium-term management plan into three phases, Phase I to III, over three years, and will work towards the sustainable growth of our business with an eye on the next 100 years. We aim to refine the Yamada Quality cultivated over the past 100 years and continue to contribute to society as a global company for the next century.



Shotaro Yamada,
President and Representative
Director of Yamada Corporation

Our core automotive business in Japan is expected to undergo significant changes in the market and needs due to the electrification of vehicles. We aim to anticipate and capture future needs and respond to these changes. In our pump business, which we have positioned as our growth engine, we aim to establish a system to supply our main product, diaphragm pumps, to various regions and markets around the world. By meticulously providing the quality required in each region and market, we aim to become a top global brand.

To support further global expansion, we plan to evolve the new Sagamihara plant to the next stage, enhancing productivity through human-friendly digital utilization. And it is "people" who support everything. Together with employees who embody the three values of our "Human Resources Vision" – "Change," "Customer Orientation," and "Co-creation" – we aim to make the first year towards the next 100 years a year of growth.

Finally, "It is not the strongest of the species that survive, nor the most intelligent, but the one most responsive to change." (Charles Darwin) I will keep this in mind more than anything else this year, responding firmly to the drastically changing environment, and will strive to continue to be a company that is increasingly needed by everyone.

We look forward to your continued support and encouragement.

July, 2024

Shotaro Yamada

President and Representative Director of Yamada Corporation



For the Next Century, with YAMADA PRIDE

We aim to further refine the Yamada Quality cultivated over the past 100 years, support the foundation of the automotive industry, and position our pump business, which is utilized in various industries, as our growth engine.

Our goal is to continue contributing to society as a global company for the next 100 years.



About Our Products

All Yamada products lubricate customers' field site. Starting with grease pumps for automobiles in 1905, Yamada products now include not only air-driven pumps for safe transport of liquids in various fields but also maintenance equipment using grease and oil, various types of vehicle service equipment, and stationary vacuum systems for better work environments. These products are not often seen, but our products support people working in a broad range of industries as an indispensable infrastructure for the world.

[Pumps]



Diaphragm pumps

Diaphragm pump series

Diaphragm pumps are driven by compressed air, so they can be used safely, without requiring explosion-proof measures for liquid transfer/transport, of volatile or flammable materials, or in hazardous atmospheres.

Series products

- Small pumps with 1/4" to 1" diameters
- Large pumps with 1-1/2" to 3" diameters
- Fluorine resin chemical pump
- Sanitary diaphragm pump



Drum pumps / Siphon pumps

Piston pump series

Hard materials like putty, sticky materials like adhesives, non-flowable oils and fats like grease and other similar materials can be pumped directly from the container and pushed out for direct connection to your work. In addition, these pump units wipe the inside of the containers clean to eliminate waste.

Series products

- Drum pumps / Siphon pumps
- Divorced drum pump oil pump kit
- 140/250 series high-viscosity pump units
- Pail high-viscosity pumps



Electric powered grease gun / Hand operated grease gun

Grease gun series

As the most widespread grease pouring tools, they are available from hand-filling to cartridge types that can be selected for various applications. The electric powered gun allows you to fill grease by simple switch operation. This is ideal for maintenance of construction machinery, large vehicles, elevators, etc.

Series products

- Hand operated grease guns
- Electric powered grease guns
- Air powered grease guns
- Nozzle Micro® Hose



Grease/Oil hand bucket pumps

Lubricating equipment

Oil/Grease can be supplied with a manual pump. These grease/oil lubricators use air powered pumps driven by compressed air from compressors. They feature high performance, excellent safety, and easy operation. They are used for production line maintenance work.

Series products

- Grease/Oil hand bucket pumps
- Grease/Oil air powered pumps
- Lub drum set (fueling cart)
- Grease foot-pedal pump

Quality Policies

We have established the following quality policies to implement our management philosophy of "Customer Satisfaction First", and hereby declare that we will continue providing high quality products and services:

Quality Policy 1

We strive to work with quality awareness in all related departments so that we can respond to customer requests. (Quality / Delivery / Price / Development / Service)

Quality Policy 2

Based on our quality policies, each department sets quality targets, manages the results while measuring the status of implementation and the degree of achievement, and makes continuous improvements while confirming the effectiveness of the quality management system.

Quality Policy 3

We not only comply with various laws, regulations, and standards required for the products and services we provide, but also pursue high morality as a company.

Quality Policy 4

To be a company trusted by customers and recognized by society, we make constant efforts to raise awareness and improve ourselves, and continue to take on the challenge of developing the company.



Diaphragm pumps



A/C recharge and maintenance stations



Stationary vacuum system

[Car maintenance equipment]
only for Japanese market

[Work environment improvement equipment]
only for Japanese market



Portable tire air inflator / CFC changer



Hose reel



Electric powered exhaust hose reel



Welding fume /Fine dust collecting device

Automobile maintenance equipment

Hose reel series

Vehicle exhaust gas extraction systems

Stationary vacuum system

This is mainly used for automobile maintenance work at gas stations, automobile maintenance shops, etc. Used for checking and filling tire pressure and changing oil for automatic cars to improve vehicle safety, it also includes environmentally friendly CFC changers and other various maintenance devices.

The service hose is reeled in by spring force, and can be pulled out to a convenient length when used. Hose reels are mounted on ceilings, walls, floors, etc., and are used for greasing, oiling, and air filling.

Yamada's exhaust gas extraction systems are offered from simple hose units to exhaust hose and sliding exhaust systems, and you can select the most suitable system depending on vehicle's exhaust volume and a place of installation.

A weld filter unit and a filter cart are the optimal dust extraction device for collecting and exhausting welding fume and lightweight iron powder. Since hazardous substances are also filtered with a built-in filter and then discharged, a safe and clean work environment can be realized.

Series products

- Portable tire air inflators
- Oil drains
- ATF/CVTF changers
- CFC changers

Series products

- YR series (air, code, control)
- YSR series (air, water, oil, high-pressure hot water, grease)
- Stainless hose reels (water, hot water, high-pressure hot water)
- Control valves (mechanical batch meter)

Series products

- Electric powered exhaust hose reels
- Simple exhaust hoses, single and double
- Fans
- Filter boxes

Series products

- Welding fume /Fine dust collecting devices
- Arm type welding fume /fine dust collecting devices

We have obtained ISO9001 certification and declared compliance with EC Directive standards.



The ISO9000 series is an international standard for quality control and quality assurance established in 1987 by the International Organization for Standardization (ISO). Production and quality systems are evaluated to obtain the ISO9000 series, and companies that conform to it are certified, so it can be said that this standard responds to the requirements of customers.



The CE mark can only be attached to products that comply with the safety regulations set forth by the EC Directive. This mark is required for exports to the EC region, though it is an international trend for the EC market to acquire the ISO9000 series. The CE mark differs from ISO in that it is not a certification, but a declaration of conformity to EC directive standards by the company itself.

About Our Company

Since its foundation in 1905, our company has been a manufacturer specializing in liquid transfer for more than 100 years.

From the beginning, we have been steadily expanding our “customer-oriented product manufacturing” for more extensive customers, and as a result, we have now established bases not only in Japan but also in the United States, Europe, China, and Thailand, transforming ourselves into a global company with distributors in 80 countries around the world.

Yamada’s products continue to support the infrastructure of society in every part of the world.



◎Company information

- Trade name: Yamada Corporation
- Establishment: December 20, 1939
- Capital: 600 million yen
- President and Representative Director: Shotaro Yamada
- Number of employees: 350 employees in group total (as of March 31, 2024)
- Net sales: 14,753 million yen on consolidated basis 10,410 million yen on non-consolidated basis (as of March 31, 2024)
- Sales composition: Automotive division: 25.3% Industrial division: 62.8% Other: 11.9% (as of March 31, 2024)


◎Business lineup

- Air pumps, diaphragm pumps, and system products for pumping fluids such as oil, grease, paint, adhesives, ink, and chemicals in various industrial fields.
- Lubrication equipment such as hand pumps, bucket pumps, and lubricators for oil and grease
- Tire service equipment, environmental maintenance equipment such as exhaust gas emission systems and refrigerant gas-related equipment

The Yamada Corporation Sagamihara Plant has been recognized as a "Sagamihara SDGs Partner."



History





YAMADA GROUP

◎ Domestic bases*

● Headquarters

● Sales Offices

- Sapporo Sales Office
- Sendai Sales Office
- Tokyo Sales Office
- Nagoya Sales Office
- Osaka Sales Office
- Hiroshima Sales Office
- Fukuoka Sales Office

◎ Factory and subsidiaries

Sagamihara Factory

1-2-38 Miyashimo, Chuo-ku,
Sagamihara-city, Kanagawa 252-0212

Yamada Products Service Co., Ltd.

3-12-13 Nishihashimoto, Midori-ku,
Sagamihara-city, Kanagawa 252-0131

Yamada Metaltech Co., Ltd.

3-12-9 Nishihashimoto, Midori-ku,
Sagamihara-city, Kanagawa 252-0131

*Please refer to page 8 for contact information of each domestic base.

◎ Overseas bases

YAMADA AMERICA, INC.

955 E.Algonquin Rd., Arlington Heights, IL 6005, U.S.A
Phone: 1-847-631-9200 Fax: 1-847-631-9273
E-mail: sales@yamadapump.com
Web: <https://www.yamadapump.com/>

YAMADA EUROPE B.V.

Aquamarijnstraat 50, 7554 NS Hengelo(O), The Netherlands
Phone: 31-(0)74-2422032 Fax: 31-(0)74-2421055
E-mail: company@yamada.nl
Web: <https://www.yamada-europe.com/>

YAMADA Shanghai Co., Ltd.

Building No.12, No.1500 Zuchongzhi Road, Pudong New District,
Shanghai 201203, PR China.
Phone: 86-21-3895-3699 FAX: 86-21-5080-9755
E-mail: admin@yamadacorp.com.cn
Web: <https://www.yamadapump.cn/>

YAMADA (THAILAND) CO., Ltd.

41179 Moo 6, (Bangna- Trad Road Km.16.5,) Bang cha-long,
Bangplee, Sumutprakarn 10540, Thailand
Phone:+66-(0)2-130-0990 Fax:+66-(0)2-130-0993
E-mail: sales@yamada-th.com
Web: <https://www.facebook.com/yamadathailandofficial/>

After 2000

2004

Declared compliance with EC Directive standards.

2007

Established Yamada (Shanghai)
Pump Trading Co., Ltd. in China.

2016

Established YAMADA (THAILAND) Co., Ltd. in Thailand.
Closed the representative office in Bangkok, Thailand.

2005

Celebrated the 100th year in business.

2014

Opened a representative office in Bangkok, Thailand.

2022

Sagamihara Factory was renovated.



 **Yamada**
Yamada Corporation

<https://www.yamadacorp.co.jp>

Headquarters and Domestic Sales Division 1-1-3 Minamimagome, Ota-ku, Tokyo 143-8504

Overseas Sales Division 1-2-38 Miyashimo, Chuo-ku, Sagami-hara-city, Kanagawa 252-0212

Sapporo Sales Office 6-3-16 Misono Nijo, Toyohira-ku, Sapporo-city, Hokkaido 062-0002

Sendai Sales Office 2-2-3 Osawa, Izumi-ku, Sendai-city, Miyagi 981-3137

Tokyo Sales Office 1-1-3 Minamimagome, Ota-ku, Tokyo 143-8504

Nagoya Sales Office 7-38 Obatamiyanokoshi, Moriyama-ku, Nagoya-city, Aichi 463-0052

Osaka Sales Office 1-2-20 Suwa, Joto-ku, Osaka-city, Osaka 536-0021

Hiroshima Sales Office 3-3-9 Itsukaichi Chuo, Saeki-ku, Hiroshima-city, Hiroshima 731-5128

Fukuoka Sales Office 5-18-14 Itazuke, Hakata-ku, Fukuoka-city, Fukuoka 812-0888

Sagami-hara Factory 1-2-38 Miyashimo, Chuo-ku, Sagami-hara-city, Kanagawa 252-0212



[Our website is here!]

*Please note that the products described in this brochure are subject to change without notice due to improvements.

Revised in 2024.08